



**CONDENSATORI ELETTROLITICI RADIALI
IN ALLUMINIO**

Serie REA

Codice Adimpex: **CL212250-R**

COND REA 220uF 50V 5NS 10x12.5

p/n: REA221M1H1012-SA0



φ D	5	6.3	8	10	12.5	16
P	2.0	2.5	3.5	5.0	5.0	7.5
φ d	0.5		0.6			
α	1.0		L < 20: 1.5;		20: 2.0	
β	0.5					

Tensione (V)	16	25	35	50	63	100	
Capacità (uF) ± 20%	Codice Adimpex Ø D x L mA						
2.2						CL2.2290 5 x 11 33	
3.3						CL2.3390 5 x 11 40	
4.7						CL2.4790 5 x 11 48	
10					CL201063 5 x 11 70	CL201090 6.3 x 11 80	
22				CL202250 5 x 11 95	CL202263 6.3 x 11 115	CL202290 6.3 x 11 115	
33				CL203350 5 x 11 125			
47			CL204735 5 x 11 130	CL204750 6.3 x 11 165	CL204763 6.3 x 11 170	CL204790 10 x 12.5 235	
100	CL211016 5 x 11 160	CL211025 6.3 x 11 190	CL211035 6.3 x 11 210	CL211050 8 x 11.5 260	CL211063 10 x 12.5 320	CL211090 10 x 20 370	
220	CL212216 6.3 x 11 260	CL212225 8 x 11.5 320	CL212235 8 x 11.5 385	CL212250 10 x 12.5 455	CL212263 10 x 16 490	CL212290 13 x 25 675	
330						CL213390 13 x 25 695	
470	CL214716 8 x 11.5 440	CL214725 10 x 12.5 545	CL214735 10 x 16 740	CL214750 10 x 20 755	CL214763 12.5 x 20 900	CL214790 16 x 25 910	
1000	CL221016 10 x 16 785	CL221025 10 x 20 955	CL221035 12.5 x 20 1145	CL221050 12.5 x 25 1340	CL221063 16 x 25 1560	CL221090 18 x 40 1820	
2200	CL222216 12.5 x 20 1295	CL222225 12.5 x 25 1540	CL222235 16 x 25 1785	CL222250 16 x 35.5 1960	CL222263 22 x 40 2750	CL222285 22 x 40 2800	CL222290 25 x 45 3100
3300	CL223316 13 x 25 1655	CL223325 16 x 25 1800	CL223335 16 x 35.5 2275	CL223350 18 x 35.5 2500			
4700	CL224716 16 x 25 2090	CL224725 16 x 32 2420	CL224735 18 x 35.5 2700	CL224750 22 x 40 3040	CL224763 22 x 50 3000		
6800		CL226825 18 x 36 2880					
10000	CL231016 18 x 36 2700	CL231025 22 x 40 3440					

CARATTERISTICHE

- Tipo standard per uso generico
- Gamma di temperatura: $-40^{\circ}\text{C} \div +85^{\circ}\text{C}$
- Durata test: 2.000 \div 3000 ore

FEATURES

- *Standard type for general purpose*
- *Operating temperature range: $-40^{\circ}\text{C} \div +85^{\circ}\text{C}$*
- *Test time: 2.000 \div 3000 hours*