

## CONDENSATORI X2


**Passo 27.5 mm 275V AC**

Codice Adimpex: **CNA01829-R**

COND X2 TS08S/FC K 820K 275V p27,5\*

Serie: TS08S

p/n: TS08S-275V



Codice Adimpex		$\mu\text{F}$	H	T	d
L=6	L=20				
CNA01569	CNA01570	0.56	19.5	10.8	0.8
CNA01689	CNA01690	0.68	19.5	10.8	0.8
<b>CNA01829</b>	CNA01830	0.82	19.5	10.8	0.8
CNA02109	CNA02110	1.0	22.0	13.0	0.8
CNA02155	CNA02156	1.5	22.0	13.0	0.8
CNA02229	CNA02230	2.2	22.0	13.0	0.8

## CARATTERISTICHE

- Dielettrico: film polipropilene
- Avvolgimento: tipo non induttivo
- Rivestimento: termoplastico, sigillato con resina epossidica; box resistente a solventi ed alla fiamma secondo UL94V-0
- Tensione nominale: **275V AC; 310V AC**
- Tolleranza:  $\pm 10\%$  (K) standard
- Temperatura di lavoro:  $-40^{\circ}\text{C} \div 110^{\circ}\text{C}$

## FEATURES

- Dielectric: polypropylene film
- Winding: non-inductive type
- Protection: plastic case, thermosetting resin filled; box material is solvent resistant and flame retardant according to UL94V-0
- Nominal voltage: **275V AC; 310V AC**
- Tolerance:  $\pm 10\%$  (K) standard
- Operating temperature:  $-40^{\circ}\text{C} \div 110^{\circ}\text{C}$

