

**CONDENSATORI X2**


**Passo 27.5 mm 310V AC**

Codice Adimpex: **CNB01245-R**

X2 TS08S/FL K 1uF 310V p27,5 31,5x13x22

Serie: TS08S

p/n: TS08S-310V



Codice Adimpex		$\mu\text{F}$	H	T	d
L=6	L=20				
CNB01080	CNB01085	0.47	19.5	10.8	0.8
CNB01120	CNB01125	0.56	19.5	10.8	0.8
CNB01160	CNB01165	0.68	19.5	10.8	0.8
CNB01200	CNB01205	0.82	19.5	10.8	0.8
CNB01240	<b>CNB01245</b>	1.0	22.0	13.0	0.8
CNB01280	CNB01285	1.5	22.0	13.0	0.8
CNB01320	CNB01325	2.2	25.0	14.0	0.8

**CARATTERISTICHE**

- Dielettrico: film polipropilene
- Avvolgimento: tipo non induttivo
- Rivestimento: termoplastico, sigillato con resina epossidica; box resistente a solventi ed alla fiamma secondo UL94V-0
- Tensione nominale: **275V AC; 310V AC**
- Tolleranza:  $\pm 10\%$  (K) standard
- Temperatura di lavoro:  $-40^{\circ}\text{C} \div 110^{\circ}\text{C}$

**FEATURES**

- Dielectric: polypropylene film
- Winding: non-inductive type
- Protection: plastic case, thermosetting resin filled; box material is solvent resistant and flame retardant according to UL94V-0
- Nominal voltage: **275V AC; 310V AC**
- Tolerance:  $\pm 10\%$  (K) standard
- Operating temperature:  $-40^{\circ}\text{C} \div 110^{\circ}\text{C}$

