

## CONDENSATORI X2


**Passo 27.5 mm 310V AC**

Codice Adimpex: **CNB01320-R**

X2 TS08S/FC K 2,2uF 310V p27,5 31,5x14x2

Serie:TS08S

p/n:TS08S-310V



Codice Adimpex		$\mu\text{F}$	H	T	d
L=6	L=20				
CNB01080	CNB01085	0.47	19.5	10.8	0.8
CNB01120	CNB01125	0.56	19.5	10.8	0.8
CNB01160	CNB01165	0.68	19.5	10.8	0.8
CNB01200	CNB01205	0.82	19.5	10.8	0.8
CNB01240	CNB01245	1.0	22.0	13.0	0.8
CNB01280	CNB01285	1.5	22.0	13.0	0.8
<b>CNB01320</b>	<b>CNB01325</b>	2.2	25.0	14.0	0.8

## CARATTERISTICHE

- Dielettrico: film polipropilene
- Avvolgimento: tipo non induttivo
- Rivestimento: termoplastico, sigillato con resina epossidica; box resistente a solventi ed alla fiamma secondo UL94V-0
- Tensione nominale: **275V AC; 310V AC**
- Tolleranza:  $\pm 10\%$  (K) standard
- Temperatura di lavoro:  $-40^{\circ}\text{C} \div 110^{\circ}\text{C}$

## FEATURES

- Dielectric: polypropylene film
- Winding: non-inductive type
- Protection: plastic case, thermosetting resin filled; box material is solvent resistant and flame retardant according to UL94V-0
- Nominal voltage: **275V AC; 310V AC**
- Tolerance:  $\pm 10\%$  (K) standard
- Operating temperature:  $-40^{\circ}\text{C} \div 110^{\circ}\text{C}$

