



Condensatori in poliestere, polipropilene ed X2

POLIESTERE SERIE TS05 100VDC 10KPF 5% PASSO 5MM IN REEL

COND TS05 5% 10Kp 100 p5 NS 7.2x2.5x6.5

Codice Adimpex: **SP820107SU**

P/N: **TS05002A103JAA0B0R**



P=5.00mm

µF	100VDC	100VAC	100VDC	100VAC	100VDC	100VAC	100VDC	100VAC	100VDC	100VAC
0.001	100	100	100	100	100	100	100	100	100	100
0.002	100	100	100	100	100	100	100	100	100	100
0.005	100	100	100	100	100	100	100	100	100	100
0.01	100	100	100	100	100	100	100	100	100	100
0.02	100	100	100	100	100	100	100	100	100	100
0.05	100	100	100	100	100	100	100	100	100	100
0.1	100	100	100	100	100	100	100	100	100	100
0.2	100	100	100	100	100	100	100	100	100	100
0.5	100	100	100	100	100	100	100	100	100	100
1	100	100	100	100	100	100	100	100	100	100
2	100	100	100	100	100	100	100	100	100	100
5	100	100	100	100	100	100	100	100	100	100
10	100	100	100	100	100	100	100	100	100	100
20	100	100	100	100	100	100	100	100	100	100
50	100	100	100	100	100	100	100	100	100	100
100	100	100	100	100	100	100	100	100	100	100
200	100	100	100	100	100	100	100	100	100	100
500	100	100	100	100	100	100	100	100	100	100
1000	100	100	100	100	100	100	100	100	100	100
2000	100	100	100	100	100	100	100	100	100	100
5000	100	100	100	100	100	100	100	100	100	100
10000	100	100	100	100	100	100	100	100	100	100
20000	100	100	100	100	100	100	100	100	100	100
50000	100	100	100	100	100	100	100	100	100	100
100000	100	100	100	100	100	100	100	100	100	100
200000	100	100	100	100	100	100	100	100	100	100
500000	100	100	100	100	100	100	100	100	100	100
1000000	100	100	100	100	100	100	100	100	100	100

Caratteristiche Tecniche:

Tensione (VAC-VDC):	100VDC / 63VAC
Capacità (F):	10KpF
Passo:	5 mm
Tipologia:	Poliestere
Gamma:	Radiale